

NEIL MARINE

NMDF-45 MULTI DAY FISHING BOAT FWD. CABIN VERSION

DESIGNED FOR LONG LINE, BOTTOM & DROP LINE AND GILL NETTING

.



STANDARD BOAT SPECIFICATION

HULL-FIBRE GLASS HULL REINFORCED WITH POLY URETHANE FOAM TRANSVERSE FRAMES AND LONGITUDINALS GLASSED

DECK -FIBRE GLAS DECK WITH MOULDED NONSKID SURFACE REINFOCED WITH HARD WOOD DECK BEAMS AND POLYURETHANE LONGITIDINALS GLASSED OVER

Length Overall	45 Ft- 0 inch (13.72 Mtrs.)
Beam	14 Ft 11 inch (4.56 Mtrs.)
Draft (Unladen)	4 Ft 02 inch (1.28 Mtrs.)
Displacement (Light)	16 Tons. Approx...
ã	
(Loaded)	34 Tons. Approx.
Recommended Engine	285- 320 HP
Polyurethane foam Insulated Fish/Hold Capacity	16 M3
Polyurethane foam Insulated Slurry TankS Capacity	05 M3
Fuel Tanks Capacity (GRP hull wing tanks)	7500 Ltrs.
Fresh Water Tanks Capacity (GRP hull wing tanks)	2250 Ltrs.
Number of Crew	06 Crew.

Vessels Lay out as per General Arrangement Drawing consist of

Fore peak, Fish Hold, Slurry Tanks, Engine Room & Rudder compartments
Wheel House is fitted to front with Helm console with wheel, chart table, 6 crew bunks,
Galley with work top fitted with a cooker and Sink with tap,
Toilet Compartment with a marine WC and a wash basin with tap.

[Fish Hold /Slurry tanks could be re arranged to meet different customer fishing Requirements.](#)

24 Volts DC main electrical system with 2 x120/200 Amp Battery Banks for engine start and lighting and equipment

Vessels lighting consist standard vessel lights, navigation and fishing lights.

Pressure fresh water system with tap outlets in galley and toilet

OPTION

Stainless steel tubular gunwhale rail

Mast and Derrick

Aft. Deck Canvas Canopy on stainless steel tubular frame work

GRP Radar Mast

Wheel house Hood Railing

Fishing Equipment & Fishing Gear

Navigational and Communication Equipment/Auto Pilot

Fish Holds Refrigeration /Auxiliary AC Generator

GENERAL ARRANGEMENT

