

NEIL MARINE

13 MTR. CRUISER CATAMARAN

CATAMARAN PLEASURE CRUISER OF AN INNOVATIVE DESIGN CONCEPT FITTED OUT WITH SPACIOUS ACCOMODATION FOR PRIVATE CRUISING WITH COMFORT AND SAFETY.



STANDARD BOAT SPECIFICATION

HULL-FIBRE GLASS HULL REINFORCED WITH POLY URETHANE FOAM TRANSVERSE FRAMES AND LONGITUDINALS GLASSED

DECK -FIBRE GLAS DECK WITH MOULDED NONSKID SURFACE

MOULDED WITH ISOPHTHALIC GELCOAT AND RESIN USING ONLY LLOYDS REGISTER OF SHIPPING (UK) OR INTERNATIONAL ASSOCIATION OF CLASSIFICATION SOCIETIES MEMBER TYPE APPROVED MARINE GRADE FIBRE GLASS MATERIAL

Length Overall	13.70 Meters.
Beam	5.00 Meters
Draft (laden) Mean Draft	0.85 Meters
Displacement (laden)	9.69 Tons Approx.
Propulsion	Twin 300 HP OBM
Number of Persons	13 Pax +3 Crew
Speed Max	20 Knots
Speed Cruising	16 Knots
Fuel Capacity (Petrol)	2000 Liters

Fuel Capacity (Diesel)	250 Liters
Fresh Water Capacity	500 Liters
Black Water Capacity	250 Liters
Marine Generator	12 KW

Vessel Lay out as per General Lay out consist of

Fwd. Cabin

starboard front an enclosed toilet compartment provided fitted with marine WC, washbasin fitted with pull out type shower and fresh water tap.
Lockers fitted to portside.
Entry through step down stair case to front

Main Cabin

Fwd. of main cabin Galley is located fitted with work top consisting of a sink with fresh water tap, Gas stove and lockers and shelves fitted underneath.
Provision kept for fitting of a mini refrigerator.
To center a Bar counter fitted to port with seating fitted to starboard
Aft area of main cabin lounge type seating provided with a table for seating and dining to starboard and extra seating fitted to port as well
Entry to main cabin through sliding door from the cockpit

Cockpit

Large cockpit area provided with seating arrangement to port and starboard with an extendable table plus two movable chairs.
Deck hatches for entry to tank compartment below.
Inflatable raft hung over stern on a davit arrangement for easy launch and pullout
Swim platform fitted on stern with a pullout shower

Fly Bridge

Entry from a stair fitted on cockpit to port.
Helm to port with steering wheel and controls.
Navigator seating to starboard.
Fwd. Cabin fitted with fixed windows to front and sliding windows to sides
Canvas canopy fitted aft of fwd. Cabin over aft seating area with foldable weather side curtains.
Seating provided for 08 persons aft with cushions
Flooring provided at bottom with entry steps to centre from port and starboard

Deck

Fitted with Bow and Stern pulpit with stanchions and guard rail fitted around for safety.
Mooring Bollards fitted on fwd. and aft deck
Electric Anchor Windlass fitted with Bow Roller and Anchor
Deck hatch fitted to centre on fwd. deck

GENERAL LAY OUT



