

NEIL MARINE

33 FT. FAST PATROL BOAT FOR SEYCHELLES MARINE POLICE FOR POLICE PATROL & SURVEILLANCE



BOAT SPECIFICATION

HULL-FIBRE GLASS HULL REINFORCED WITH POLYURETHANE FOAM TRANSVERSE FRAMES AND LONGITUDINALS GLASSED

DECK -FIBRE GLAS DECK WITH MOULDED NONSKID SURFACE REINFOCED WITH BALSA CORE SANDWITCH CONSTRUCTION

MOULDED WITH ISOPHTHALIC GELCOAT AND RESIN USING ONLY LLOYDS REGISTER OF SHIPPING (UK) OR

IACS SOCIETIES MEMBER TYPE APPROVED MARINE GRADE FIBRE GLASS MATERIAL

LOA	33 Ft 0 inch. (10.0 Meters)
Beam	10 Ft.4 inch. (9.88 Meters)
Draft (unloaded)	2 Ft 8 inch. (0.80 Meters)
Displacement (light)	3.7 Tons. approx.
Engines HP	Twin 200 HP OBM
Fuel Capacity	550 Liters
Fresh Water Capacity	150 Liters
Number of Crew	08 Crew

Vessel Lay Out

Fore peak

Water tight compartment fitted to fwd. with deck access hatch.

Fwd. Cabin

Two berths fitted to front

Galley with work top fitted with cooker and wash basin with lockers under fitted to port aft,

Toilet compartment fitted with a marine WC, wash basin and shower fitted to starboard aft

Wheel House

Helm console fitted to starboard front with steering wheel. Engine controls and instrumentation.

Navigator position to port.

Seating provided front for Helmsman and Navigator.

Individual seating provided aft for 06 crew.

Entry to wheel house from aft cockpit through a lockable door fitted to center.

Electrical system

12 Volts DC main electrical system with 2 x 200 amp. Battery Banks fitted for engine start and lighting & equipment

Vessels lighting consist standard of vessel interior lights, search light, deck and avigation lights.

Bilge system

Electric submersible pumps fitted to compartments

Deck

Bollards fitted to fwd. and aft decks for mooring

D section PVC fender fitted around the gunwhale for protection

Stainless steel deck rails fitted around for protection

Mooring

Galvanized anchor, anchor rope or chain and mooring rope

OPTION

Electric Anchor Windlass with bow roller

GRP Radar Mast

Navigational and Communication Equipment /Auto Pilot

Air conditioning and Generator

GENERAL LAYOUT



