

NEIL MARINE

NM-28 MK 1 MULTI DAY FISHING BOAT

DESIGNED FOR BOTTOM & DROP LINE, GILL NETT FISHING COASTAL FISHING



STANDARD BOAT SPECIFICATION

HULL-FIBRE GLASS HULL REINFORCED WITH POLY URETHANE FOAM TRANSVERSE FRAMES AND LONGITUDINALS GLASSED

DECK -FIBRE GLAS DECK WITH MOULDED NON SKID SURFACE REINFOCED WITH HARD WOOD DECK BEAMS AND POLYURETHANE LONGITIDINALS GLASSED OVER

Length Overall	28 ft 05 inch (08.66 Mtrs.)
Beam	09 ft 00 inch (02.76 Mtrs.)
Draft (Unladen)	02 ft 08 inch (0.74 Mtrs.)
Displacement (Light)	2.9 Tons. Approx...
(Loaded)	5.4 Tons. Approx.
Recommended Engine	38-40 HP
Polyurethane foam Insulated Fish/Hold Capacity	2.4 M3
Polyurethane foam Insulated Net Hold Capacity	1.3 M3
Fuel Tanks Capacity (GRP hull wing tanks)	1000 Ltrs.
Fresh Water Tanks Capacity (GRP hull wing tanks)	100 Ltrs.
Number of Crew	02 Crew.

Vessels Lay out as per General Arrangement Drawing No 28NM/FV/GA/15/306 Consist of

Fore peak, Fish Hold, Net Hold and Engine Room hull compartments

Fibre glass cabin fitted on aft deck above the engine room with removable floor boards fitted for engine access .

Spray deflector planks fitted on fwd. deck sides

Fwd. and aft mooring posts fitted on deck

External fibre glass rudder on skeg is fitted with tiller arm operation

12 Volts DC main electrical system with 2 x120 amp Battery Banks for engine start and lighting

Vessel lighting consist standard vessel lighting and navigation & fishing lights fitted on light mast.

OPTION

Fwd. Deck Canvas Canopy on stainless steel tubular frame work

GRP Radar Mast

Wheel house Hood Railing

Fishing Equipment & Fishing Gear

Navigational and Communication Equipment/

APPLICABLE FISHING


BOTTOM & DROP LINE, GILL NETT FISHING

NM-28 MK1 MULTI DAY FISHING BOAT




NM 28 MULTI DAY FISHING BOAT MK1


Drawing No :- 28NM/FV/GA/15/306



ELEVATION



BELOW DECK PLAN



DECK PLAN